

To: Egan, Robert[egan.robert@epa.gov]; KHanson@ldftribe.com[KHanson@ldftribe.com]; Dave Larsen[dlarsen@reiengineering.com]
From: Saari, Christopher A - DNR
Sent: Wed 9/21/2016 9:26:33 PM
Subject: RE: Tower Standard Technical Group Call - September 22 and LIF Materials

Why don't we just move this to 8 AM on Friday. Since we haven't heard from Dave Larsen, I'll try to get in touch with him separately to let him know about the rescheduling.

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Chris Saari

Phone: (715) 685-2920

Christopher.Saari@Wi.gov

From: Egan, Robert [mailto:egan.robert@epa.gov]
Sent: Wednesday, September 21, 2016 3:45 PM
To: KHanson@ldftribe.com; Saari, Christopher A - DNR; Dave Larsen
Subject: RE: Tower Standard Technical Group Call - September 22 and LIF Materials

Either time should work for me also.

Bob Egan

Corrective Action Manager

Underground Storage Tanks Section

RCRA Branch

EPA Region 5

(312) 886-6212

(312) 692-2911 (fax)

From: Hanson, Kristen [<mailto:KHanson@ldftribe.com>]
Sent: Wednesday, September 21, 2016 1:42 PM
To: Saari, Christopher A - DNR <Christopher.Saari@wisconsin.gov>; Egan, Robert <egan.robert@epa.gov>; Dave Larsen <dlarsen@reiengineering.com>
Cc: Egan, Robert <egan.robert@epa.gov>; Dave Larsen (dlarsen@reiengineering.com) <dlarsen@reiengineering.com>
Subject: RE: Tower Standard Technical Group Call - September 22 and LIF Materials

Thanks Chris,

Both the 8 am time and afternoon works here.

Kristen

Sent from my Verizon Wireless 4G LTE smartphone

----- Original message -----

From: "Saari, Christopher A - DNR" <Christopher.Saari@wisconsin.gov>
Date: 09/21/2016 1:31 PM (GMT-06:00)
To: "Hanson, Kristen" <KHanson@ldftribe.com>
Cc: "Egan, Robert" <egan.robert@epa.gov>, "Dave Larsen (dlarsen@reiengineering.com)" <dlarsen@reiengineering.com>
Subject: RE: Tower Standard Technical Group Call - September 22 and LIF Materials

I'm tied up between 10 and noon on Friday but available at 8 or in the afternoon.

We are committed to service excellence.

Visit our survey at <http://dnr.wi.gov/customersurvey> to evaluate how I did.

Chris Saari

Phone: (715) 685-2920

Christopher.Saari@Wi.gov

From: Hanson, Kristen [<mailto:KHanson@ldftribe.com>]

Sent: Wednesday, September 21, 2016 12:05 PM

To: Saari, Christopher A - DNR

Cc: Egan, Robert; Dave Larsen (dlarsen@reiengineering.com)

Subject: RE: Tower Standard Technical Group Call - September 22 and LIF Materials

Good Afternoon,

I will be traveling in an area with limited reception at 8 am tomorrow. Is there availability to reschedule on Friday?

Kristen